


# DOPPLER CAFÉ+



























## Geometry

### Doppler Café+

Size(Semi-Compact Frame)	XS	S	M	L	XL	XXL
Bike Size(Semi-Compact Frame)	49cm	52cm	54cm	56cm	58cm	60cm
<b>A</b> Seat Tube, Center to Top	49	52	54	56	58	60
<b>C</b> Top Tube, Effective	518	545	560	570	585	600
<b>D</b> Head Tube Length	100	120	145	160	175	190
<b>E</b> Seat Tube Angle	75	74	73	73	72.5	72
<b>G</b> Head Tube Angle	68	70	70	70	71.5	72
<b>H</b> Chainstay Length	450	450	450	450	450	450
<b>I</b> Wheelbase	1025	1038	1047	1067	1070	1077
<b>J</b> Bottom Bracket Drop	68	68	65	65	62	62
<b>K</b> Fork Offset	50	50	50	50	50	50
<b>M</b> Stack	504	528.9	551.7	565.7	575.5	592.7
<b>N</b> Reach	374.4	382.4	386.4	392.1	400.2	407.4
<b>O</b> Standover	na	na	na	na	na	na
Stem	80	90	100	110	110	120
Handlebar Width	40	42	44	46	46	46
Crank	170	172.5	172.5	175	175	175
Wheel Size	650b	650b	650b	650b	650b	650b
Seat Post Diameter	27.2	27.2	27.2	27.2	27.2	27.2



## Technical Specifications

	Sizes	Semi-Compact: 49cm, 52cm, 54cm, 56cm, 58cm, 60cm
	Color(s)	Copper metallic w/ black
	Frame	Breezer butted-chromoly steel, 44mm headtube, BSA Threaded BB, 142 x 12mm
	Fork	Chromoly disc, 1 1/8", rack / fender & side bottle mounts, 100 x 12mm through-axle
	Crankset	Forged 1X, 40T
	Bottom Bracket	Sealed-bearing, BSA
	Pedals	N/A
	Front Derailleur	N/A
	Rear Derailleur	Shimano Deore, long cage
	Shifters	Shimano Deore, 10-speed
	Cassette	Shimano HG500, 11-42, 10-Speed
	Chain	Shimano HG54
	Wheelset	650Bx32H WTB ST Light i23 disc, tubeless compatible, JH thru-axle sealed-bearing front dynamo hub, 14gSS spokes
	Through Axles	Front: 125mm length, 1.50 pitch x 14mm thread length, Rear: 167mm length, 1.75 pitch x 20mm thread length
	Tires	WTB Horizon, 650 x 47c, wire bead
	Brakeset	Shimano MT200 hydraulic disc, 160mm rotor
	Brake Levers	Shimano MT201 alloy
	Headset	FSA 1 1/8", No.10 internal, 36° ACB-sealed, 6.5mm aluminum top cover
	Handlebar	Breezer Sweeper Bar, 680mm width, 25Deg backweep
	Stem	Breezer B-Road, 3D-forged 6061 stem body, +/-7°
	Tape	Breezer Ergo cork lock-on
	Saddle	WTB Volt Comp 142x265, steel rail
	Seatpost	Breezer, 6061 alloy, 27.2mm diameter
	Fenders	Alloy fenders w/ struts
	Headlight	Busch & Muller IQ-XS, 70lux w/ standlight
	Taillight	AXA Retro, battery

## Sizing

---

