


DOPPLER PRO



























Geometry

Doppler Pro

Size(Semi-Compact Frame)	XS	S	M	L	XL	XXL
Bike Size(Semi-Compact Frame)	49cm	52cm	54cm	56cm	58cm	60cm
A Seat Tube, Center to Top	49	52	54	56	58	60
C Top Tube, Effective	518	545	560	570	585	600
D Head Tube Length	100	120	145	160	175	190
E Seat Tube Angle	75	74	73	73	72.5	72
G Head Tube Angle	68	70	70	70	71.5	72
H Chainstay Length	450	450	450	450	450	450
I Wheelbase	1025	1038	1047	1067	1070	1077
J Bottom Bracket Drop	68	68	65	65	62	62
K Fork Offset	50	50	50	50	50	50
M Stack	504	528.9	551.7	565.7	575.5	592.7
N Reach	374.4	382.4	386.4	392.1	400.2	407.4
O Standover	na	na	na	na	na	na
Stem	80	90	100	110	110	120
Handlebar Width	40	42	44	46	46	46
Crank	170	172.5	172.5	175	175	175
Wheel Size	650b	650b	650b	650b	650b	650b
Seat Post Diameter	27.2	27.2	27.2	27.2	27.2	27.2



Technical Specifications

 Sizes	Semi-Compact: 49cm, 52cm, 54cm, 56cm, 58cm, 60cm
 Color(s)	
 Frame	Breezer butted-chromoly steel, 44mm headtube, BSA Threaded BB, 142 x 12mm
 Fork	Chromoly disc, 1 1/8", rack / fender & side bottle mounts, 100 x 12mm through-axle
 Crankset	Oval 300, 48/32T
 Bottom Bracket	Praxis BSA w/ Enduro bearings
 Pedals	na
 Front Derailleur	Shimano Tiagra
 Rear Derailleur	Shimano Tiagra
 Shifters	Shimano Tiagra, 10-speed
 Cassette	Shimano, HG500, 11-34
 Chain	KMC CN-HG41
 Wheelset	650B WTB ST Light i23 disc, tubeless compatible, 14g SS spokes, 32H
 Through Axles	Front: 125mm length, 1.50 pitch x 14mm thread length, Rear: 167mm length, 1.75 pitch x 20mm thread length
 Tires	WTB Horizon, 650 x 47c, wire bead
 Brakeset	Tektro HY/RD C hydraulic disc, 160mm rotor
 Brake Levers	Shimano
 Headset	FSA 1 1/8", No.10 internal, 36° ACB-sealed, 6.5mm aluminum top cover
 Handlebar	Breezer B-Road, 6061 alloy, 31.8mm clamp, 133mm drop
 Stem	Breezer B-Road, 3D-forged 6061 stem body, +/-7°
 Tape	Breezer Texture Plus, made from recycled material
 Saddle	WTB Volt Comp 142x265, steel rail
 Seatpost	Breezer, 6061 alloy, 27.2mm diameter
 Fenders	Stainless fenders w/ struts
 Headlight	N/A
 Weight	tbd

Sizing

