

Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Motorbike Cleaning Gel
- · Article number: 55130100500, 55130100501, 77320
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Cleaning material/ Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

POLO Motorrad und Sportswear GmbH

Polostr. 1 41363 Jüchen

Tel: 02165 84 40 200 Fax: 01265 84 40 450

E-Mail: info@polo-motorrad.com

· Further information obtainable from:

Safety Department

sicherheit@dr-stoecker.de

· 1.4 Emergency telephone number:

INTERNATIONAL: +49 (0) 6132 / 84463 (GBK Gefahrgut Büro GmbH, Ingelheim)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

 The product is not classified according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- $\cdot \textbf{\textit{Description:}} \ \textit{Mixture of substances listed below with nonhazardous additions.}$

1-propoxypropan-2-ol	Flam. Liq. 3, H226; Eye Irrit. 2, H319	2,5-10%
	1-propoxypropan-2-ol	

Regulation (EC) No 648/2004 on detergents / Labelling for contents
 phosphates, amphoteric surfactants, non-ionic surfactants, anionic surfactants
 preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)

(Contd. on page 2)



Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

Trade name: Motorbike Cleaning Gel

(Contd. of page 1)

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

When using do not eat or drink.

When using do not smoke.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)



Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

Trade name: Motorbike Cleaning Gel

(Contd. of page 2)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Protect from heat and direct sunlight.

Keep container tightly sealed.

- · Storage class: 10
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· DNELs

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	Long term - systemic effects, general pop	pulation	85 mg/kg bw/day (general population)
Dermal			213 mg/kg bw/day (general population)
	Long term - local effects, general popula		10 mg/m3 (general population)
<i>Innatative</i>	., .		
	Long term - systemic effects, general pop	puiaiion	1
	Long-term - local effects, worker		10 mg/m3 (worker)
1	Long-term - systemic effects, worker		168 mg/m3 (worker)
	1-propoxypropan-2-ol		
Oral	Long term - systemic effects, general pop	pulation	2,2 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general population		2,2 mg/kg bw/day (general population)
	Long-term - systemic effects, worker		9 mg/kg bw/day (worker)
Inhalative	Long term - systemic effects, general pop	pulation	26 mg/m3 (general population)
	Long-term - systemic effects, worker		217 mg/m3 (worker)
PNECs			
	ropane-1,2-diol		
	ompartment - freshwater	260 mg/	l (Sweet Water / Süsswasser)
Aquatic compartment - marine water		26 mg/l (marine water)	
Aquatic co	mparment marme vaier		(marme water)
•	•	Ü	· · · · · · · · · · · · · · · · · · ·
Aquatic co	ompartment - sediment in freshwater	572 mg/	/kg sed dw (Sweet Water / Süsswasser)
Aquatic co Aquatic co	ompartment - sediment in freshwater ompartment - sediment in marine water	572 mg/ 57,2 mg	/kg sed dw (Sweet Water / Süsswasser) /kg sed dw (marine water)
Aquatic co Aquatic co Aquatic co	ompartment - sediment in freshwater ompartment - sediment in marine water ompartment - water, intermittent releases	572 mg/ 57,2 mg 183 mg/	/kg sed dw (Sweet Water / Süsswasser) /kg sed dw (marine water) /l (intermittent release water)
Aquatic co Aquatic co Aquatic co Terrestria	ompartment - sediment in freshwater ompartment - sediment in marine water ompartment - water, intermittent releases I compartment - soil	572 mg/ 57,2 mg 183 mg/ 50 mg/k	Akg sed dw (Sweet Water / Süsswasser) Akg sed dw (marine water) A (intermittent release water) Ag dw (soil)
Aquatic co Aquatic co Aquatic co Terrestria sewage tre	ompartment - sediment in freshwater ompartment - sediment in marine water ompartment - water, intermittent releases d compartment - soil vatment plant	572 mg/ 57,2 mg 183 mg/ 50 mg/k	/kg sed dw (Sweet Water / Süsswasser) /kg sed dw (marine water) /l (intermittent release water)
Aquatic co Aquatic co Aquatic co Terrestria sewage tre 1569-01-3	ompartment - sediment in freshwater ompartment - sediment in marine water ompartment - water, intermittent releases compartment - soil catment plant 1-propoxypropan-2-ol	572 mg/ 57,2 mg 183 mg/ 50 mg/k 20000 n	Akg sed dw (Sweet Water / Süsswasser) Akg sed dw (marine water) A (intermittent release water) B dw (soil) B dw (sewage treatment plant)
Aquatic co Aquatic co Aquatic co Terrestria sewage tre 1569-01-3 Aquatic co	ompartment - sediment in freshwater ompartment - sediment in marine water ompartment - water, intermittent releases d compartment - soil vatment plant	572 mg/s 57,2 mg 183 mg/s 50 mg/k 20000 n	Akg sed dw (Sweet Water / Süsswasser) Akg sed dw (marine water) A (intermittent release water) Ag dw (soil)



Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

Trade name: Motorbike Cleaning Gel

(Contd. of page 3)

Aquatic compartment - sediment in marine water 0,0386 mg/kg sed dw (sediment marine water)

Aquatic compartment - water, intermittent releases 1 mg/l (intermittent release water)

Terrestrial compartment - soil 0,0185 mg/kg dw (soil)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Not required.
- · Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colour: Green

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value at 20 °C: 8,8 (DIN 19268)

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

· Flash point:

Undetermined.
ca. 100 °C

> 61 °C

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: 2,6 Vol %
Upper: 12,6 Vol %
• Oxidising properties Not determined.

· Vapour pressure at 20 °C: 23 hPa

• **Density at 20 °C:** 1,045 g/cm³ (DIN 51757)

Relative density
Vapour density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

water: Fully miscible.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

(Contd. on page 5)



Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

Trade name: Motorbike Cleaning Gel

(Contd. of page 4)

Kinematic: Not determined.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Acute toxicity							
· LD/LC5	· LD/LC50 values relevant for classification:						
57-55-6	propai	ne-1,2-diol					
Oral	LD50	> 22000 mg/kg (rat)					
Dermal	LD50	> 2000 mg/kg (rabbit)					
1569-01	1569-01-3 1-propoxypropan-2-ol						
Oral	LD50	2519 mg/kg (rat)					
Dermal	LD50	3818 mg/kg (rabbit)					

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

12.1 10200	12.1 Toxicuy			
· Aquatic toxicity:				
57-55-6 propane-1,2-diol				
EC0/18 h	> 20000 mg/l (Pseudomonas putida)			
EC50/48 h	> 100 mg/l (Daphnia magna)			
EC50/72 h	24200 mg/l (Scenedesmus capricornutum)			
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)			
1569-01-3 1-propoxypropan-2-ol				
EC50	3800 mg/l (Bacteria)			
	1466 mg/l (Pseudokirchnerella subcapitata) (16 h)			
LC50	3400 mg/l (Pimephlas promelas)			
LC50/48 h	> 100 mg/l (Daphnia magna)			
	(Contd. on page 6)			

(Contd. on page 6)



Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

Trade name: Motorbike Cleaning Gel

(Contd. of page 5)

LC50/96 h > 100 mg/l (Oncorhynchus mykiss)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- $\cdot \textbf{12.6 Other adverse effects} \ \textit{No further relevant information available}.$

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 7)



Printing date 09.07.2015 Version number 3 Revision: 09.07.2015

Trade name: Motorbike Cleaning Gel

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

- · Department issuing MSDS: Department R&D
- · Contact: Department R&D
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

 ${\it CAS: Chemical Abstracts Service (division of the American Chemical Society)}$

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

* * Data compared to the previous version altered.

EU -