# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2015

Version number 3

Revision: 07.07.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking** 

· 1.1 Product identifier

- · Trade name: Motorbike Cleaning
- · Article number: 55130100502, 55130100503, 5130100000
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- Application of the substance / the mixture Cleaning material/ Detergent
- $\cdot$  1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: POLO Motorrad und Sportswear GmbH Polostr. 1 41363 Jüchen

Tel: 02165 84 40 200 Fax: 01265 84 40 450 E-Mail: info@polo-motorrad.com

 Further information obtainable from: Safety Department sicherheit@dr-stoecker.de
 1.4 Emergency telephone number: INTERNATIONAL: +49 (0) 6132 / 84463 (GBK Gefahrgut Büro GmbH, Ingelheim)

#### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:				
CAS: 1569-01-3 EINECS: 216-372-4 Reg.nr.: 01-2119474443-xx	1-propoxypropan-2-ol	Flam. Liq. 3, H226; Eye Irrit. 2, H319	2,5-10%	
• Regulation (EC) No 648/2004 on detergents / Labelling for contents				
phosphates, non-ionic surfactants, amphoteric surfactants, anionic surfactants			< 5%	
preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)				
		(Con	td. on page 2)	



#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2015

Version number 3

Revision: 07.07.2015

Trade name: Motorbike Cleaning

• Additional information: For the wording of the listed risk phrases refer to section 16.

## (Contd. of page 1)

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

*Rinse out mouth and then drink plenty of water. Seek immediate medical advice.* 

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

#### See Section 15 for disposal information.

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling When using do not eat or drink.
- When using do not smoke.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)

EU



Versi

### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 07.07.2015

Printing date 07.07.2015

Version number 3

Trade name: Motorbike Cleaning

(Contd. of page 2)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.

Protect from heat and direct sunlight.

Keep container tightly sealed.

• Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

57 <b>-</b> 55-6 pi	ropane-1,2-diol		
Oral	Long term - systemic effects, general population		85 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general population		213 mg/kg bw/day (general population)
Inhalative	Long term - local effects, general population		10 mg/m3 (general population)
	Long term - systemic effects, general population		50 mg/m3 (general population)
	Long-term - local effects, worker		10 mg/m3 (worker)
	Long-term - systemic effects, worker		168 mg/m3 (worker)
1569-01-3	1-propoxypropan-2-ol		
Oral	Long term - systemic effects, general population		2,2 mg/kg bw/day (general population)
Dermal	Long term - systemic effects, general pop	pulation	2,2 mg/kg bw/day (general population)
	Long-term - systemic effects, worker		9 mg/kg bw/day (worker)
Inhalative	Long term - systemic effects, general population		26 mg/m3 (general population)
	Long-term - systemic effects, worker		217 mg/m3 (worker)
PNECs	<u>`</u>		
57-55-6 рг	ropane-1,2-diol		
Aquatic co	ompartment - freshwater	260 mg/	l (Sweet Water / Süsswasser)
Aquatic compartment - marine water		26 mgЛ (marine water)	
Aquatic co	ompartment - sediment in freshwater	572 mg/	kg sed dw (Sweet Water / Süsswasser)
Aquatic co	ompartment - sediment in marine water	57,2 mg	/kg sed dw (marine water)
Aquatic co	ompartment - water, intermittent releases	183 mg/	l (intermittent release water)
Terrestria	l compartment - soil	50 mg/kg dw (soil)	
_		20000 mg/l (sewage treatment plant)	
	1-propoxypropan-2-ol		
1569-01-3			(freshwater)
	ompartment - freshwater	., .0.	
Aquatic co	ompartment - freshwater ompartment - marine water	~	/l (marine water)



Revision: 07.07.2015

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 3

Printing date 07.07.2015

Trade name: Motorbike Cleaning

(Contd. of page 3) Aquatic compartment - sediment in marine water 0,0386 mg/kg sed dw (sediment marine water) Aquatic compartment - water, intermittent releases 1 mg/l (intermittent release water) 0,0185 mg/kg dw (soil) Terrestrial compartment - soil • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. · Respiratory protection: Not necessary if room is well-ventilated. · Protection of hands: Protective gloves · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Neoprene gloves Butyl rubber, BR Nitrile rubber, NBR · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Goggles recommended during refilling **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: -----

Form:	Fluid	
Colour:	Green	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	8,8 (DIN 19268)	
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. ca. 100 °C	
· Flash point:	> 61 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	2,6 Vol %	
Upper:	12,6 Vol %	
· Oxidising properties	Not determined.	
		(Cont

(Contd. on page 5)

EU

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2015	Version number 3	Revision: 07.07.2015
Frade name: Motorbike Cleaning		
		(Contd. of page 4
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1,045 g/cm <sup>3</sup> (DIN 51757)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
• 9.2 Other information	No further relevant information available.	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

• Acute toxicity

2

· LD/LC50 values relevant for classification:

57-55-6 propane-1,2-diol

*Oral LD50* > 22000 mg/kg (rat)

Dermal LD50 > 2000 mg/kg (rabbit)

1569-01-3 1-propoxypropan-2-ol

Oral LD50 2519 mg/kg (rat)

Dermal LD50 3818 mg/kg (rabbit)

• Primary irritant effect:

• Skin corrosion/irritation No irritant effect.

· Serious eye damage/irritation Irritating effect.

· Respiratory or skin sensitisation No sensitising effects known.

· Repeated dose toxicity No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

(Contd. on page 6)

FΙ



### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2015

Version number 3

Revision: 07.07.2015

Trade name: Motorbike Cleaning

(Contd. of page 5)

· Aquatic toxicity:			
-	opane-1,2-diol		
EC0/18 h	> 20000 mg/l (Pseudomonas putida)		
EC50/48 h	> 100 mg/l (Daphnia magna)		
EC50/72 h	24200 mg/l (Scenedesmus capricornutum)		
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)		
1569-01-3	1-propoxypropan-2-ol		
EC50	3800 mg/l (Bacteria)		
	1466 mg/l (Pseudokirchnerella subcapitata) (16 h)		
LC50	3400 mg/l (Pimephlas promelas)		
LC50/48 h	> 100 mg/l (Daphnia magna)		
LC50/96 h > 100 mg/l (Oncorhynchus mykiss)			
<ul> <li>12.3 Bioac</li> <li>12.4 Mobil</li> <li>Additional</li> <li>General not Water haze</li> <li>Do not all system.</li> </ul>	tence and degradability No further relevant information available. cumulative potential No further relevant information available. lity in soil No further relevant information available. ecological information: otes: urd class 1 (German Regulation) (Self-assessment): slightly hazardous for water ow undiluted product or large quantities of it to reach ground water, water course or sewag ts of PBT and vPvB assessment		

Dispose of contents/container in accordance with local/regional/national/international regulations. Smaller quantities can be disposed of with household waste.

#### · European waste catalogue

2

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

· Uncleaned packaging:

 $\cdot \textit{Recommendation:}$  Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2015	Version number 3	Revision: 07.07.2015
Trade name: Motorbike Cleaning		
		(Contd. of page 6)
<ul> <li>14.3 Transport hazard class(es)</li> </ul>		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> </ul>		
• Marine pollutant:	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
<ul> <li>14.7 Transport in bulk according to An</li> </ul>	enex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	-	

### **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### • *Relevant phrases* H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

- · Department issuing MSDS: Department R&D
- · Contact: Department R&D

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

 $\cdot$  \* Data compared to the previous version altered.

