

# BOOT TECH

## POWERLITE SHELL

K2's highest-performance shell design, utilizing shell walls of varying thicknesses and four different types of TPU to provide the ultimate combination of light weight and responsiveness.

## PEBAX

Lightweight, eco-friendly material used in the cuff of select boot models for energetic and consistent flex across a wide range of temperatures.

## FASTFIT INSTEP

Softer TPU material is used in the instep area of select models' shells for quick and easy entry and exit.

## HANDS FREE ENTRY

Dual material overlap for hassle-free entry and exit.

## ENERGY INTERLOCK

A rivet-free technology that integrates the cuff and shell, putting less stress on the boot's lower shell and producing a smooth, progressive flex.

## POWERFUSE SPYNE

A co-injected Y-shaped support in the rear of the boot that adds strength and power to the Energy Interlock in order to maximize fore/aft flex efficiency and lateral stiffness, providing enhanced responsiveness and energy transfer to the ski.

## CUFF ALIGNMENT INDEX

Single-sided alignment system for +/- 1 degree of lateral cuff adjustment.

## DUAL CUFF ALIGNMENT INDEX

Dual-sided alignment system for +/- 2 degrees of lateral cuff adjustment.

## FULLY HEAT-MOLDABLE

Both the boot's shell and cuff are capable of being heat-molded to a variety of foot shapes for a true custom fit.

## WOMEN'S-SPECIFIC LAST

A lower cuff height, lower-volume shell, and narrower heel to accommodate women's lower leg and foot shapes.

## WOMEN'S ADJUSTABLE CUFF

Allows for quick adjustment of the cuff opening to accommodate a variety of lower leg shapes.

## APRÈS MODE 2.0

A new and improved walk mode offering a massive 50-degree range of motion. A lever on the back of the boot unlocks the upper cuff from the lower shell, allowing for increased comfort and convenience when walking from the car to the lift.

## POWERLOCK SPYNE

A performance-oriented walk mode designed for ski touring that offers a 50-degree range of motion. When in ski mode, Powerlock Spyne provides a powerful and secure connection for uncompromised downhill performance.

## INTEGRATED TECH FITTINGS

Tech fittings in the toe and heel are fully integrated into the shell injection, allowing for compatibility with both tech bindings and alpine DIN bindings.

## FRICTION FREE CUFF PIVOT

An easy-hinging cuff pivot designed to provide minimal resistance while in walk mode.

## GRIPWALK OUTSOLES

Removable and interchangeable rockered soles designed to work with Marker's GripWalk binding system for better grip and comfort while walking, standing, and hiking.

## REPLACEABLE OUTSOLES

Dual-injected TPU for secure footing, direct power transfer to the ski, and increased wear resistance.

## CANTABLE OUTSOLES

Shims can easily be placed underneath the outsoles to cant the boots for a customized fit.

## NAVICULAR PUNCH

A strategic bump built into the boot mold to alleviate pressure commonly experienced during ankle flexion.

## ASYMMETRICAL TOE BOX

Fits the natural curvature of your toes for added comfort and to ensure a proper fit.

## POWER WEDGE

A removable spoiler that fits between the liner and the back of the boot cuff that allows for adjustment of the boot's forward lean angle, ranging from 12 to 14 degrees.

**THERM-IC BLUETOOTH HEATED LINER**

Control your Therm-ic heated boot liners using the free Therm-ic Heat Control app on your smartphone. Available for iPhone and Android devices.

**LINERS****POWERFIT PRO**

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring stiffer foam and a stiff, asymmetric tongue for added power and energy transmission, pre-molded ankle pockets, and a high-density power collar.

**PRECISIONFIT PRO**

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring an asymmetric tongue, pre-molded ankle pockets, and a high-density power collar for a firm-but-comfortable performance fit.

**POWERFIT PRO TOUR**

Pre-molded and lasted with Ultralon heat-moldable foam. Featuring stiffer foam and a stiff, asymmetric tongue for added power and energy transmission, pre-molded ankle pockets, and a high-density power collar. Includes a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.

**PRECISIONFIT PRO TOUR**

Pre-molded and lasted with Ultralon heat-moldable foam. Features an asymmetric tongue, high-density power collar, and a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.

**LUXFIT PRO**

Pre-molded and lasted with Ultralon heat-moldable foam. Features medium-density foam, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort.

**LUXFIT PRO TOUR**

Pre-molded and lasted with Ultralon heat-moldable foam. Features medium-density foam, pre-molded ankle pockets, and a medium-density collar, providing an ideal blend of performance and comfort. Includes a tour notch at the back of the ankle for increased comfort and range of motion while hiking and skinning.

**CUSHFIT**

Lasted with a blend of open-cell and EVA foam for an extremely comfortable, warm, and supportive fit.

**CUSHFIT PRO**

Maintains the renowned comfort of the original Cushfit liner, but with a notable increase in support and performance thanks to the use of Ultralon foam, similar to what is used in our Powerfit Pro and Precisionfit Pro liners.

**CUSHFIT COMFORT**

Same great fit and out-of-the-box feel as our classic Cushfit liner, but with additional foam in key areas for increased comfort and compliance.

**CUSHFIT JR**

A scaled-down version of our adult Cushfit liner built for our youth boots.

# BOOT TECH



**POWERFIT PRO LINER**



**PRECISIONFIT PRO LINER**



**LUXFIT PRO LINER**



**POWERFIT PRO TOUR LINER**



**PRECISIONFIT PRO TOUR LINER**



**LUXFIT PRO TOUR LINER**



**LUXFIT PRO TOUR  
FLEX NOTCH**



**ANATOMICAL FIT**



**THERM-IC HEATED  
LINER**



**NAVICULAR PUNCH**

# BOOT TECH



ENERGY INTERLOCK



HANDS FREE ENTRY



PEBAX



INTEGRATED TECH FITTINGS



POWERFUSE SPYNE



POWERLOCK SPYNE



FRICTION FREE CUFF PIVOT

# BOOT SPECS

## MEN'S BOOTS

MODEL	FLEX RATING	LAST WIDTH (MM)	WEIGHT (G)	SHELL MATERIAL	CUFF MATERIAL	LINER	STRAP	OUTSOLE	SIZE RANGE	CUFF ALIGNMENT	FORWARD LEAN (DEGREES)	WALK MODE
BFC // ALL MOUNTAIN - WIDE FIT												
BFC 120	120	103	1900	TPU	PP	Cushfit Pro	40mm Velcro	GripWalk	24.5-30.5	N/A	12 (14 w/ wedge)	Après Mode 2.0
BFC 100 HEAT	100		2050			Cushfit Therm-ic Bluetooth heated						
BFC 100	100		1950			Cushfit						
BFC 90	90		1920			Cushfit Comfort	30mm Velcro				10-12 (12 stock)	N/A
BFC 80	80		1780	PP								
RECON // ALL MOUNTAIN												
Recon Pro	140	98	1740	Powerlite TPU	Pebax	Powerfit Pro	45mm G-Hook Power	ISO 5355 (Alpine DIN)	24.5-30.5	Dual +/-2	12 (14 w/ wedge)	N/A
Recon 130	130	98 (LV), 100 (MV)	1700		TPU			Precisionfit Pro Therm-ic Bluetooth heated				
Recon 120 HEAT	120	100	1780									
Recon 120	120	98 (LV), 100 (MV)	1650			Luxfit Pro						
Recon 100	100											
Recon 90	90	100	PP		Luxfit	N/A						
MINDBENDER // FREERIDE												
Mindbender 130	130	98	1725	Powerlite TPU	Pebax	Powerfit Pro Tour	45mm G-Hook Power	GripWalk	24.5-30.5	N/A	10-17	Powerlock Spyne
Mindbender 120	120		1675		Precisionfit Pro Tour							
Mindbender 100	100	100	1700		TPU	Luxfit Pro Tour	40mm Velcro					

## WOMEN'S BOOTS

MODEL	FLEX RATING	LAST WIDTH (MM)	WEIGHT (G)	SHELL MATERIAL	CUFF MATERIAL	LINER	STRAP	OUTSOLE	SIZE RANGE	CUFF ALIGNMENT	FORWARD LEAN (DEGREES)	WALK MODE	
BFC W // ALL MOUNTAIN - WIDE FIT													
BFC W 105	105	103	1810	TPU	PP	Cushfit Pro		40mm Velcro	GripWalk	22.5-27.5	N/A	12 (14 w/ wedge)	Après Mode 2.0
BFC W 95 HEAT	95		1940			Cushfit Therm-ic Bluetooth heated							
BFC W 95	95		1860			Cushfit							
BFC W 85	85		1830										
BFC W 75	75		1690	PP		Cushfit Comfort		30mm Velcro			10-12 (12 stock)	N/A	
ANTHEM // ALL MOUNTAIN													
Anthem Pro	125	98	1650	Powerlite TPU	Pebax	Powerfit Pro	45mm G-Hook Power	ISO 5355 (Alpine DIN)	22.5-27.5	Dual +/-2	12 (14 w/ wedge)	N/A	
Anthem 115	115	98 (LV), 100 (MV)	1560		TPU			40mm Velcro					GripWalk
Anthem 105 HEAT	105	100	1640			Precisionfit Pro Therm-ic Bluetooth heated							
Anthem 105	105	98 (LV), 100 (MV)	1560			Precisionfit Pro							
Anthem 85	85					Luxfit Pro							
Anthem 75	75	100			PP	Luxfit	30mm Velcro	N/A					
MINDBENDER ALLIANCE // FREERIDE													
Mindbender 110 Alliance	110	98	1640	Powerlite TPU	Pebax	Powerfit Pro Tour	45mm G-Hook Power	GripWalk	22.5-27.5	N/A	10-17	Powerlock Spyne	
Mindbender 90 Alliance	90		1600		TPU	Luxfit Pro Tour	40mm Velcro						

## YOUTH BOOTS

MODEL	FLEX RATING	LAST WIDTH (MM)	WEIGHT (G)	SHELL MATERIAL	CUFF MATERIAL	LINER	STRAP	OUTSOLE	SIZE RANGE	CUFF ALIGNMENT	FORWARD LEAN (DEGREES)	WALK MODE
Mindbender Team Jr	90/80	98	1600	Powerlite TPU	TPU	Luxfit Tour	40mm Velcro	GripWalk	22.5-27.5	N/A	10-17	Powerlock Spyne
Reverb	70	103	1690	PP	PP	Cushfit Comfort					10-12 (12 stock)	N/A
Indy 3 / Luvbug 3	N/A	N/A	N/A	TPU Regrind	Marfran	Cushfit Jr	N/A	ISO 5355 (Alpine DIN)	23.5-25.5			
Indy 2 / Luvbug 2									19.5-22.5			
Indy 1 / Luvbug 1									14.5-18.5			

## RENTAL BOOTS

MODEL	FLEX RATING	LAST WIDTH (MM)	WEIGHT (G)	SHELL MATERIAL	CUFF MATERIAL	LINER	STRAP	OUTSOLE	SIZE RANGE	CUFF ALIGNMENT	FORWARD LEAN (DEGREES)	WALK MODE		
Recon RX	100	100	1650	TPU	PP	Luxfit	30mm Velcro	GripWalk or ISO 5355	24.5-30.5	N/A	12	N/A		
Anthem RX	85		1560						22.5-27.5					
BFC RX 2	90	103	1830		Marfran	Cushfit	40mm Velcro		24.5-30.5		10-12 (12 stock)			
BFC W RX 2	80		1740						22.5-27.5					
BFC RX			1890			Cushfit Comfort	30mm Velcro		24.5-30.5					
BFC W RX			70						1800				23.5-27.5	



# BOOTS

## BFC



BFC 120



BFC 100 HEAT



BFC 100



BFC 90



BFC 80

## BFC W



BFC W 105



BFC W 95 HEAT



BFC W 95



BFC W 85



BFC W 75

## RECON



RECON PRO



RECON 130



RECON 120 HEAT



RECON 120



RECON 100



RECON 90

## ANTHEM



ANTHEM PRO



ANTHEM 115



ANTHEM 105 HEAT



ANTHEM 105



ANTHEM 85



ANTHEM 75

## MINDBENDER



MINDBENDER 130



MINDBENDER 120



MINDBENDER 100

## MINDBENDER ALLIANCE

MINDBENDER 110  
ALLIANCEMINDBENDER 90  
ALLIANCE

## YOUTH



MINDBENDER TEAM JR



REVERB



INDY 3 / LUVBUG 3



INDY 2 / LUVBUG 2



INDY 1 / LUVBUG 1

