

# SAFETY DATA SHEET

Issuing Date 21-Jun-2018 Revision Date 21-Jun-2018 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### **GHS** product identifier

Product Name ASC-1 Anti-Seize Compound

Other means of identification

Product Code(s) ASC-1

Synonyms ASC-1

#### Recommended use of the chemical and restrictions on use

Recommended Use Lubricating and protecting bicycle components

Uses advised against No information available

#### Supplier's details

Supplier Address Park Tool Company 5115 Hadley Avenue N St Paul, MN 55128 651-777-6868

#### **Emergency telephone number**

**Emergency Telephone** 

Number

CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### Classification

This product is not considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Not classified

#### **Label Elements**

Signal Word

None

Physical and Health Hazards Not Otherwise Classified

Not applicable.

## **Precautionary Statements**

Prevention

None

#### **General Advice**

• None

#### Storage

• None

### Disposal

None

#### Other information

No information available

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms ASC-1

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, solvent-refined heavy naphthenic	64741-96-4	50-60	-	-
Limestone	1317-65-3	10-20	-	-
Talc	14807-96-6	10-20	-	-
Graphite	7782-42-5	1-5	-	-
Aluminum	7429-90-5	1-5	-	-
Silica, amorphous, fumed, crystal-free	112945-52-5	1-5	-	-

## 4. FIRST AID MEASURES

**Description of necessary first-aid measures** 

**Eye Contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention.

**Skin Contact** Wash skin with soap and water. Get medical attention if symptoms occur. Remove

contaminated clothing and shoes. Wash contaminated clothing before reuse.

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is

irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.

**Ingestion** Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not

induce vomiting without medical advice. Have victim sip a glass of water if able to swallow. If vomiting occurs, lean victim forward to reduce the risk of aspiration. If symptoms persist,

call a physician.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Eye irritation/reactions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use water spray, fog, carbon dioxide (CO 2), foam or dry chemical.

Unsuitable Extinguishing Media None known.

Specific Hazards Arising from the

Chemical

No information available.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Metal oxides.

**Explosion Data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Deny entry to unauthorized and unprotected personnel. Do not touch or walk through

spilled material. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Use personal protective equipment. Avoid contact with skin, eyes

and clothing.

**Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent from entering into soil, ditches,

sewers, waterways, and/ or groundwater. Local authorities should be advised if significant

spillages cannot be contained.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Stop leak if without risk. Soak up with inert absorbent material. Pick up and transfer to

properly labeled containers. Dispose of via a licensed waste disposal contractor.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Do not ingest. Avoid contact with skin, eyes and

clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable

respiratory equipment. Empty containers may contain hazardous residues.

Conditions for safe storage, including any incompatibilities

Storage Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated

place. Keep away from direct sunlight. Keep away from incompatible materials. Do not store with food. Do not store in unlabeled containers. Store containers upright. Store in

accordance with local regulations.

Incompatible Products Oxidizing agents.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters** 

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3	-	TWA: 15 mg/m³ TWA: 5 mg/m³ (vacated) TWA: 15 mg/m³	TWA: 5 mg/m³ respirable dust TWA: 10 mg/m³ total dust
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	(vacated) TWA: 5 mg/m³ (vacated) TWA: 2 mg/m³	IDLH: 1000 mg/m³ containg no asbestos and <1% quartz TWA: 2 mg/m³
Graphite 7782-42-5	TWA: 2 mg/m³ respirable particulate matter all forms except graphite fibers	TWA: 15 mg/m³ total dust synthetic TWA: 5 mg/m³ respirable fraction synthetic (vacated) TWA: 2.5 mg/m³ respirable dust natural (vacated) TWA: 10 mg/m³ total dust synthetic (vacated) TWA: 5 mg/m³ respirable fraction synthetic TWA: 15 mppcf natural	IDLH: 1250 mg/m³ TWA: 2.5 mg/m³ natural respirable dust
Aluminum 7429-90-5	TWA: 1 mg/m³ respirable fraction		TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Silica, amorphous, fumed, crystal-free 112945-52-5	10 mg/m <sup>3</sup>	TWA: 20 mppcf; ((80)/(% SiO2) mg/m³)	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>

### **Appropriate engineering controls**

Engineering Measures Showers

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Risk of contact: Tightly fitting safety goggles.

**Skin and Body Protection**Wear suitable protective clothing Chemical resistant gloves. Please observe the instructions

regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is

used, such as the danger of cuts, abrasion.

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

Hygiene Measures Do not eat, drink or smoke when using this product. Wash face, hands and any exposed

skin thoroughly after handling. Wash hands before eating, drinking or smoking.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Solid. Appearance Aluminum.

OdorPetroleum.Odor ThresholdNo information available.

<u>Property</u> <u>Values</u> <u>Remarks/ - Method</u>

рΗ No data available None known **Melting Point/Range** No data available None known **Boiling Point/Boiling Range** No data available None known Flash Point 221.11 °C None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air

upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** No data available None known **Relative Density** No data available None known **Specific Gravity** No data available None known Water Solubility No data available None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known **Decomposition Temperature** No data available None known No data available **Viscosity** None known

Flammable Properties

Explosive Properties

Oxidizing Properties

No data available

No data available

**Other information** 

VOC Content (%) No data available

## 10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Hazardous Polymerization</u> None under normal processing.

<u>Conditions to avoid</u> Temperatures above 221.11°C.

<u>Incompatible materials</u> Oxidizing agents.

<u>Hazardous decomposition products</u> None under normal use.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

InhalationNo known effect based on information supplied.Eye ContactNo known effect based on information suppliedSkin ContactNo known effect based on information suppliedIngestionNo known effect based on information supplied

## Numerical measures of toxicity - Product

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, solvent-refined	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
heavy naphthenic			
Graphite	> 10000 mg/kg (Rat)	-	-
Silica, amorphous, fumed, crystal-free	= 3160 mg/kg (Rat)	-	-

## Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known

### Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization Germ Cell Mutagenicity

Carcinogenicity

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Product contains petroleum distillates. The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum distillates,	A2	Group 1	Known	X
solvent-refined heavy				
naphthenic				
Talc		Group 3		X
Silica, amorphous, fumed,		Group 3		
crystal-free				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

**OSHA: (Occupational Safety & Health Administration)** 

X - Present

**Reproductive Toxicity Developmental Toxicity** STOT - single exposure STOT - repeated exposure **Aspiration Hazard** 

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met None of the ingredients are known to be an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, solvent-refined heavy naphthenic 64741-96-4		LC50 96 h: > 5000 mg/L (Oncorhynchus mykiss)		EC50 48 h: > 1000 mg/L (Daphnia magna)
Talc 14807-96-6		LC50 96 h: > 100 g/L semi-static (Brachydanio rerio)		
Silica, amorphous, fumed, crystal-free 112945-52-5	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)

Persistence and Degradability No information available

No information available Bioaccumulation

**Mobility** No information available Other Adverse Effects No information available.

## 13. DISPOSAL CONSIDERATIONS

#### **Waste Disposal Methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **Contaminated Packaging**

Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

## 15. REGULATORY INFORMATION

#### **International Regulations**

Ozone depleting substances
Persistent Organic Pollutants
Hazardous Waste
The Rotterdam Convention (Prior
Not applicable
Not applicable
Not applicable

The Rotterdam Convention (Prio

Informed Consent)

International Convention for the Prevention of Pollution from Ships

(MARPOL)

. .

Not applicable

#### International Inventories

TSCA Contact supplier for inventory compliance status
DSL/NDSL Contact supplier for inventory compliance status

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Aluminum	7429-90-5	1-5	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

\_\_\_\_\_

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Petroleum distillates, solvent-refined heavy naphthenic				X	
Limestone	X	X	X		Х
Talc	Х	Х	Х	X	Х
Graphite	X	X	X		Х
Aluminum	Х	X	X		Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA_	Health Hazard 1	Flammability 1	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 1	Flammability 1	Physical Hazard 0	Personal Protection X	
Prepared By	23 Britis	Stewardship h American Blvd. NY 12110 72-6501			
Issuing Date Revision Date Revision Note	21-Jun-2018 21-Jun-2018 Initial Release.				

#### General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**